



Q Search



http://www.webmd.com/a-to-z-guides/rm-quiz-sense-of-smell

First Ever Lure For The Oriental Fruit Fly Female




New development of Biofeed revolutionary patented GCFR (gravity controlled fluid release) platform to control pests in a sustainable efficient and cost efficient manner. While our Mediterranean Fruit Fly solution is fully commercial and in use since 2016, we work harder than ever to develop similar solutions to other fruit fly families, as well as mosquitoes and other pests.

Today, I am proud to share the outstanding results of the Oriental fruit fly control project, launched with the support of the Grand Challenge Israel-Canada project and executed together with our extraordinary Indian research partners from Kempmann Bioorganics LLP.

Three weeks ago, and after only 6 working months, we commenced the commercial field tests in several mango orchards and sites around India. One of the most innovative developments in this solution is that we aim at targeting and controlling both **males** and, for the first time also, **females**.

Final results, including comparative rate of infestation, are expected within a few weeks.



1 of 4 9/28/2019, 1:14 AM







Video: *Bactrocera dorsalis / Bactrocera invadens*: female and male controlled by using the Biofeed patented GCFR technology.

In 2016 we developed and field/commercial tested 3 pest control products:

Ceratitis capitata - 20 to 40 units per hectare. Fine-tuning and decreasing lure release and volume by 70%. (development period - 6 months)

Ceratitis capitata and Bactrocera dorsalis - 30 to 50 units per hectare (development period - 3 months).

Dacus ciliatus - initiating field/commercial experiments (development period - 6 months).

Bactrocera dorsalis / Bactrocera invadens - expected 10 to 30 units per hectare. (expected development period - 8 months).

The above short time development mark **a**new era; an era of under 1 year development,
of environmentally friendly pesticides
products, based on the release of lures and
effectiveness period in the scale of 200 to 400
days.

Please share your thoughts in the comments section below, as I learn just as much from you as you do from me.



2 of 4 9/28/2019, 1:14 AM


















Biofeed Founder and Chairman







Dr. Nimrod Israely

Founder and CEO of Biofeed Ltd. and The Fruit Fly Research Institute, Keynote Speaker

More from Dr. Nimrod Israely





See all 29 articles



4 of 4 9/28/2019, 1:14 AM